

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



63.39

U. S. Department of Agriculture

# Special Surplus Trade Bulletin

FEBRUARY 15, 1926

## FERN AND FLOWER FARM

EDWARD GILLET, Proprietor

Southwick, Massachusetts

The plant material offered in this special bulletin covers stock shipped direct from North Carolina to purchaser.

The prices apply to orders calling for 50 or more of one kind. Where less than 50 are ordered add 10% to the unit price.

Boxing will be charged in addition at cost, unless a sufficient quantity is ordered to make a carload shipment, in which instance no charge for packing will be made.

My shipping season in North Carolina opens about March 1st; many things can be shipped before then.

Orders will be executed under the usual trade conditions.

A certificate of inspection accompanies each shipment.

Key to abbreviations--Coll. collected; cls. clumps; trans. transplanted and grown one year or more in the nursery; stg. strong stock; s. seedlings in seed beds.

### DECIDUOUS TREES AND SHRUBS

1,150	Amelanchier canadensis, trans. 6-12 in., .07
1,700	Amelanchier canadensis, trans. 1-2 ft., .12½
500	Amelanchier canadensis, trans. 2-3 ft., .22½
500	Aronia arbutifolia, trans. 1-2 ft., .16
5,000	Azalea arborescens, stg. cut back cls., for growing on, .40
15,000	Azalea calendulacea, stg. coll. cls. 1-2 ft., .40
10,000	Azalea calendulacea, stg. coll. cls. 2-3 ft., .65
2,500	Azalea calendulacea, stg. coll. cls. 3-4 ft., 1.20
25,000	Azalea calendulacea, cut back cls., for growing on, .30
4,350	Azalea canescens, stg. trans. 6-12 in., .45
1,750	Azalea canescens, stg. trans. 12-18 in., .60
3,600	Azalea canescens, heavy cut back, trans. one year, .50
10,000	Azalea canescens, stg. coll. cut back cls., for growing on, .35
5,000	Azalea nudiflora, stg. cut back cls. for growing on, .35
42,50	Cytisus scoparius, stg. nursery grown S. 1-2 ft., .06
11,250	Genista tinctoria, nursery grown S. 4-12 in., .05
100	Hydrangea arborescens (native) trans. 6-12 in., .06
1,325	Hydrangea arborescens (native) trans. 1-2 ft., .07½
750	Ilex monticola, trans. 1-2 ft., .10
400	Ilex monticola, trans. 2-3 ft., .20
520	Oxydendrum arboreum, trans. 6-12 in., .07

500	<i>Oxydendrum arboreum</i> , trans. 1-2 ft., .16
1,500	<i>Platanus occidentalis</i> , coll. 1-2 ft., .08
2,000	<i>Platanus occidentalis</i> , coll. 2-3 ft., .12½
2,500	<i>Rubus odoratus</i> , trans. 12-18 in., .10
1,000	<i>Sambucus pubens</i> , trans. 1-2 ft., .10
600	<i>Viburnum cassinoides</i> , heavy trans. cls. 2-3 ft., .40
500	<i>Viburnum cassinoides</i> , heavy trans. cls. 3-4 ft., .60
7,500	<i>Zanthorhiza apiifolia</i> , trans. 3-6 in., .04
1,500	<i>Zanthorhiza apiifolia</i> , trans. 6-12 in., .07

## NATIVE EVERGREEN TREES AND SHRUBS

50,000	<i>Abies fraseri</i> , nursery grown S. 3-6 in., .02½; 1,000, \$20.00
2,535	<i>Abies fraseri</i> , trans. 3-6 in., .06
1,270	<i>Ilex opaca</i> , trans. 3-6 in., .08
2,500	<i>Ilex opaca</i> , trans. 6-12 in., .12½
720	<i>Ilex opaca</i> , trans. 12-18 in., .25
15,000	<i>Kalmia latifolia</i> , stg. coll. cls. 1-2 ft., .35
10,000	<i>Kalmia latifolia</i> , stg. coll. cls. 2-3 ft., .60
5,000	<i>Kalmia latifolia</i> , stg. coll. cls. 3-4 ft., .87½
3,000	<i>Kalmia latifolia</i> , stg. coll. cls. 4-5 ft., 2.00
1,500	<i>Kalmia latifolia</i> , stg. coll. cls. 5-6 ft., 4.00
15,000	<i>Kalmia latifolia</i> , cut back cls. for growing on, .20
3,500	<i>Leiophyllum buxifolium</i> , stg. coll. cls. 1-2 ft., .35
5,000	<i>Leiophyllum prostratum</i> , stg. coll. cls. 2-3 in., .07½
5,000	<i>Leiophyllum prostratum</i> , stg. coll. cls. 3-6 in., .15
23,000	<i>Leucothoe catesbaei</i> , coll. S. 6-12 in., .08
7,500	<i>Leucothoe catesbaei</i> , stg. coll. cls. 1-2 ft., .35
5,000	<i>Leucothoe catesbaei</i> , stg. coll. cls. 2-3 ft., .60
35,000	<i>Pieris floribunda</i> , stg. coll. cls. B&B 1-2 ft., .60
25,000	<i>Pieris floribunda</i> , cut back cls. for growing on, .40
75,000	<i>Pinus strobus</i> , nursery grown S. 4-6 in., .02; 1,000, \$17.50
750	<i>Pinus strobus</i> , trans. 1-2 ft., .50
24,000	<i>Rhododendron carolinianum</i> , nursery grown seedlings 3-6 in., .10
9,750	<i>Rhododendron carolinianum</i> , nursery grown seedlings 6-12 in., .20
5,000	<i>Rhododendron carolinianum</i> , stg. coll. cls. 1½-2 ft., .90
7,500	<i>Rhododendron carolinianum</i> , stg. coll. cls. 2-3 ft., 1.35
5,000	<i>Rhododendron carolinianum</i> , stg. coll. cls. 3-4 ft., 3.00
15,000	<i>Rhododendron carolinianum</i> , stg. coll. cls., cut back for growing on, .40
11,800	<i>Rhododendron catawbiense</i> , trans. S. 3-6 in., .12½
5,000	<i>Rhododendron catawbiense</i> , stg. coll. cls. 1½-2 ft., .90
7,500	<i>Rhododendron catawbiense</i> , stg. coll. cls. 2-3 ft., 1.65
2,500	<i>Rhododendron catawbiense</i> , stg. coll. cls. 3-4 ft., 3.00
1,000	<i>Rhododendron catawbiense</i> , stg. coll. cls. 4-5 ft., 5.00
25,000	<i>Rhododendron catawbiense</i> , cut back clumps for growing on, .35
7,500	<i>Rhododendron maximum</i> , stg. coll. cls. 1½-2 ft., .45
5,000	<i>Rhododendron maximum</i> , stg. coll. cls. 2-3 ft., .60
4,000	<i>Rhododendron maximum</i> , stg. coll. cls. 3-4 ft., 1.00
2,000	<i>Rhododendron maximum</i> , stg. coll. cls. 4-5 ft., 2.35
1,500	<i>Rhododendron maximum</i> , stg. coll. cls. 5-6 ft., 3.25

## HARDY VINES, CLIMBERS AND CREEPERS

25,000	<i>Ampelopsis engelmanni</i> , stg. coll., .02½; 1,000, \$20.00
2,500	<i>Celastrus scandens</i> , stg. trans. 1-2 ft., .07
5,000	<i>Clematis virginiana</i> , stg. trans., .07

## GROUND COVERS

1,000	<i>Dioscorea villosa</i> , stg. trans., .06
5,000	<i>Epigaea repens</i> , stg. coll. cls., .15
10,000	<i>Galax aphylla</i> , stg. coll. cls., .07
5,000	<i>Gaultheria procumbens</i> , stg. coll. cls., .08
10,000	<i>Iris cristata</i> , stg. coll. cls., .05

5,000	<i>Iris verna</i> , st. coll. cls., .07
1,000	<i>Lonicera japonica</i> Halliana, .08
5,000	<i>Mitchella repens</i> , stg. coll. cls., .09
3,000	<i>Phlox stolonifera</i> , .08
5,000	<i>Phlox subulata</i> , light trans., .07
5,000	<i>Rubus hispida</i> , stg. coll., .04
5,000	<i>Rubus trivialis</i> , stg. coll., .05
1,000	<i>Sedum telephoides</i> , stg. coll., .10
10,000	<i>Sedum ternatum</i> , stg. coll., .07
10,000	<i>Shortia galacifolia</i> , stg. coll., .12½
5,000	<i>Shortia galacifolia</i> , 2 light, .08

### HARDY NATIVE FERNS

4,600	<i>Adiantum pedatum</i> , .05
10,000	<i>Aspidium acrostichoides</i> , .05
5,000	<i>Aspidium marginale</i> , .06
5,000	<i>Aspidium spinulosum</i> , .06
5,000	<i>Asplenium Filix-foemina</i> , .07
1,000	<i>Botrychium virginianum</i> , .08
25,000	<i>Dicksonia punctilobula</i> , clumps, .04
3,000	<i>Onoclea sensibilis</i> , .07
7,500	<i>Osmunda cinnamomea</i> , .07
7,500	<i>Osmunda claytoniana</i> , .08
5,900	<i>Osmunda regalis</i> , .09
1,500	<i>Phegopteris hexagonoptera</i> , .08
1,000	<i>Polypodium vulgare</i> , .08
3,000	<i>Pteris nodulosa</i> , .10
10,000	<i>Pteris aquilina</i> , .04

### HARDY AQUATIC AND BOG PLANTS

500	<i>Acorus calamus</i> , stg., .05
3,000	<i>Aster puniceus</i> , stg., .06
3,500	<i>Chelone glabra</i> , .08
2,740	<i>Chelone lyoni</i> , .08
1,000	<i>Cicuta maculata</i> , .07
2,500	<i>Dionaea muscipula</i> , .20
500	<i>Hemerocallis fulva</i> , .08
1,250	<i>Iris pseudacorus</i> , .08
2,000	<i>Iris versicolor</i> , .08
3,000	<i>Monarda didyma</i> , .06
1,000	<i>Sarracenia flava</i> , .12
500	<i>Sarracenia purpurea</i> , .08
1,000	<i>Saxifraga virginensis</i> , .08
3,000	<i>Typha latifolia</i> , .05
4,000	<i>Vernonia noveboracensis</i> , .06

### HARDY NATIVE ORCHIDS

500	<i>Calopogon pulchellus</i> , .08
12,500	<i>Cypripedium acaule</i> , medium size, .04
5,000	<i>Cypripedium pubescens</i> , medium size, .06
3,500	<i>Cypripedium spectabile</i> , 1-3 crowns per plant, .27½
500	<i>Cypripedium spectabile</i> , 3-5 crowns per plant., .60
1,740	<i>Orchis spectabilis</i> , .08

### HARDY NATIVE LILIES AND BULBOUS PLANTS

3,250	<i>Arisaema triphyllum</i> , stg., .07
2,500	<i>Arisaema triphyllum</i> , medium, .05
10,425	<i>Convallaria majalis</i> , stg., .04
2,000	<i>Dicentra exima</i> , flowering size, .08
10,000	<i>Erythronium americanum</i> , .01½.
5,000	<i>Lilium canadense</i> , medium grade, .06
2,150	<i>Lilium carolinianum</i> , medium grade, .10



4,000	<i>Lilium Grayi</i> , first size, .10
5,250	<i>Lilium Grayi</i> , second size, .05
1,000	<i>Lilium philadelphicum</i> , flowering size, .10
1,000	<i>Lilium regale</i> , strong bulbs, .50
2,500	<i>Lilium superbum</i> , first size, .08
35,200	<i>Lilium superbum</i> , second size, .05
12,000	<i>Lilium superbum</i> , third size, many flowering grade, .03
2,000	<i>Mertensia virginica</i> , first size, .08
38,150	<i>Trillium erectum</i> , strong, first size, .02
15,000	<i>Trillium erectum</i> , second size, .01
16,500	<i>Trillium grandiflorum</i> , first size, .02
30,000	<i>Trillium grandiflorum</i> , second size, flowering, .01
6,000	<i>Trillium stylosum</i> , second size, mostly flowering, .02½
5,500	<i>Trillium undulatum</i> , strong, first size, .03
6,000	<i>Trillium undulatum</i> , second size, mostly flowering, .01½

## HARDY NATIVE HERBACEOUS PERENNIALS

3,550	<i>Aconitum uncinatum</i> , stg., .07
1,000	<i>Actaea alba</i> , stg., .08
750	<i>Actaea rubra</i> , stg., .10
500	<i>Aralia racemosa</i> , stg., .07
2,500	<i>Asarum shuttleworthii</i> , stg., .08
3,580	<i>Aruncus sulvester</i> , stg., .07
2,080	<i>Asclepias tuberosa</i> , strong, .09
3,500	<i>Baptisia tinctoria</i> , stg., .07
1,150	<i>Carex fraseri</i> , stg., .17½
5,000	<i>Caulophyllum thalictroides</i> , .05
3,350	<i>Chamaelirium luteum</i> , stg., .06
6,300	<i>Cimicifuga americana</i> , stg., .07
8,350	<i>Cimicifuga racemosa</i> , stg., .05
650	<i>Diphylleia cymosa</i> , stg., .08
750	<i>Disporum lanuginosum</i> , stg., .08
6,150	<i>Gentiana Andrewsii</i> , .05
1,200	<i>Geum montanum</i> , stg., .08
2,500	<i>Gillenia stipulata</i> , .07
3,500	<i>Heleneum autumnale</i> , .05
3,250	<i>Heuchera americana</i> , .08
4,000	<i>Heuchera villosa</i> , .07
5,000	<i>Houstonia purpurea</i> , .06
7,500	<i>Hydrastis canadensis</i> , 1 yr., .03
5,000	<i>Hydrastis canadensis</i> , 2 yrs., .05
4,000	<i>Hydrastis canadensis</i> , 3 yrs., .08
50,000	<i>Hydrastis canadensis</i> seeds, crop 1925, .01½
1,305	<i>Liatris spicata</i> , .08
2,750	<i>Lobelia cardinalis</i> , .08
2,350	<i>Lobelia syphilitica</i> , .07
7,500	<i>Panax quinquefolium</i> , 1 year, .04
3,750	<i>Podophyllum peltatum</i> , .05
5,500	<i>Polygonatum majus</i> , stg., .06
5,000	<i>Sanguinaria canadensis</i> , .04
2,500	<i>Smilacina racemosa</i> , .08
4,500	<i>Solidago odora</i> , .06
2,500	<i>Stenanthium robustum</i> , first size, .08
8,500	<i>Stenanthium robustum</i> , second size, .05
5,000	<i>Stenanthium robustum</i> , third size, .03
6,500	<i>Xerophyllum asphodeloides</i> , .08

I will be pleased to make special quotations on quantity lots.

## FERN AND FLOWER FARM

EDWARD GILLETT, PROPRIETOR

SOUTHWICK, MASSACHUSETTS